

MODELING AND ASSESSING QUEUEING SYSTEMS FOR IMPROVED SERVICE DELIVERY IN SUPERMARKET CHECKOUT ENVIRONMENTS: A STUDY OF SELECTED NIGERIAN SUPERMARKETS

DOMAKA NANWIN NUKA

Department of Computer Science, Faculty of Natural and Applied Sciences
Ignatius Ajuru University of Education Rumuolumeni, P.M.B. 5047, Port Harcourt
Rivers State, Nigeria

Article history:

Received: 14 Jan 2026;

Received in revised form: 29 Jan 2026;

Accepted: 18 Feb 2026

Keywords:

*Queueing Theory; Supermarket Checkout Systems;
Service Efficiency; Customer Satisfaction; Multi-
Server Queues; Python-Based Simulation; Retail
Service Optimization; Dynamic Staffing; Nigeria*

Abstract

This paper studied the modeling and assessing queueing systems for improved service delivery in supermarket checkout environments, over selected Nigerian supermarkets. Efficient checkout operations are crucial to supermarket service quality and customer satisfaction, especially in developing countries with unpredictable demand and limited resources. This paper analyzes a case study of selected Nigerian supermarkets to design and test queueing algorithms for better service delivery in supermarket checkout areas. A multi-server queueing system with stochastic arrival and service rates is used to simulate customer arrivals and services. Analytical queueing models are used in conjunction with Python-based discrete-event simulations to evaluate system performance under various demand and staffing scenarios. The average waiting time, queue length, server utilization, throughput, and customer satisfaction metrics based on waiting-time criteria were all examined as key performance indicators. The results reveal that appropriate server allocation and dynamic staffing during peak periods significantly reduce customer wait times while increasing perceived service quality. The findings have practical significance for supermarket managers and policymakers in terms of data-driven checkout system design, as well as the use of queueing theory and simulation tools to optimize retail services in developing countries.

Introduction

In retail environments, customer satisfaction is strongly influenced by waiting times at service points such as supermarket checkout counters. Long queues are associated with decreased customer satisfaction, potential loss of sales, and

negative brand perception (Rahaman, Bello, Abdulganiyu, & Eebo, 2025). Efficient queue management is therefore essential to improve service delivery, reduce congestion, and enhance operational efficiency.

Queueing theory provides a mathematical framework to analyze and

optimize service systems characterized by stochastic arrivals and service processes (Pathak, 2024). It allows managers to model customer arrivals, calculate expected waiting times, determine optimal server allocation, and improve overall operational performance. While this approach has been widely applied in industrialized contexts, there is limited application of queueing theory and simulation to Nigerian supermarket environments, where variability in demand and constrained service resources present operational challenges.

This study aims to model and assess queueing systems for supermarket checkout operations in Nigeria using a combination of analytical models and discrete-event simulation. The research addresses the following objectives:

- To measure and analyze customer arrival rates and service times at selected Nigerian supermarkets.
- To model supermarket checkout operations using M/M/s queueing models.
- To simulate checkout performance under various staffing and demand scenarios using Python.
- To evaluate the impact of dynamic staffing on waiting times, queue lengths, and server utilization.
- To provide practical recommendations for managers to optimize service delivery.

Literature Review

Queueing Theory in Service Operations

Queueing theory is a mathematical approach to study waiting lines or queues in service systems. It has been extensively used to model systems where customer arrivals exceed immediate service capacity, including

hospitals, call centers, transport systems, and retail environments (Pathak, 2024).

Classical queueing models such as M/M/1 and M/M/s provide insights into system performance metrics including:

- Average waiting time in queue (W_q)
- Average number in queue (L_q)
- Server utilization (ρ)

The M/M/s multi-server model, which assumes Poisson arrivals, exponential service times, and a first-come-first-served discipline, is particularly suitable for supermarket checkout operations (Pathak, 2024).

Analytical Formulas for M/M/s Queue

1. Server utilization (ρ):

$$\rho = \frac{\lambda}{s\mu}$$

Where:

λ = average arrival rate (customers per minute)

μ = service rate per server (customers per minute)

s = number of servers

2. Average number of customers in the system (L):

$$L = L_q + \frac{\lambda}{\mu}$$

3. Average waiting time in the queue (W_q):

$$W_q = \frac{L_q}{\lambda}$$

4. Probability that an arriving customer waits (P_w):

$$P_w = \frac{\frac{(s\rho)^s}{s!(1-\rho)}}{\sum_{k=0}^{s-1} \frac{(s\rho)^k}{k!} + \frac{(s\rho)^s}{s!(1-\rho)}}$$

These formulas form the analytical foundation for estimating performance under different server configurations and arrival rates.

Supermarket Checkout Queue Studies

Priyangika and Cooray (2015) applied multi-server queueing models to supermarket checkout systems and observed that increasing the number of checkout counters reduced waiting times and queue lengths significantly. Similarly, Vasconcelos Pereira Junior et al., (2020) used discrete-event simulation to model supermarket checkout operations, testing dynamic staffing policies to optimize service performance. Their study demonstrated that reallocating servers during peak periods reduced average waiting times by up to 30%, highlighting the importance of flexible staffing strategies.

In Nigeria, Rahaman et al. (2025) studied Grocery Bazaar in Port Harcourt and reported that limited staffing and inefficient queue design led to excessive congestion during peak hours. Their findings underscore the need for data-driven approaches, including analytical modeling and simulation, to improve checkout efficiency.

Simulation Approaches in Retail Queues

Simulation methods, particularly discrete-event simulation, allow for realistic modeling of complex and variable systems that are difficult to analyze analytically. Simulation enables testing of:

- i. Dynamic staffing strategies
- ii. Single versus multiple queue configurations
- iii. Peak-hour demand scenarios

Python libraries such as SimPy and Ciw facilitate the implementation of discrete-event simulations for service systems, allowing the measurement of waiting times, queue lengths, and server utilization under stochastic conditions (Vasconcelos Pereira Junior et al., 2020).

Methodology

Research Design

This study employed a mixed-methods approach, combining analytical queueing models and discrete-event simulation to assess supermarket checkout performance. The analytical component uses M/M/s queueing models to establish theoretical baselines for waiting time, queue length, and server utilization. The simulation component accounts for real-world variability in customer arrivals, service times, and staff efficiency, which cannot be fully captured by analytical models alone (Vasconcelos Pereira Junior et al., 2020).

Study Sites

Primary data were collected from three Nigerian supermarkets: two in Lagos and one in Abuja. These supermarkets were selected based on their high customer traffic, availability of multiple checkout counters, and willingness to participate. Data collection occurred over 14 consecutive days, covering both weekdays and weekends to capture peak and off-peak variations in customer arrivals.

Data Collection Procedures

Field observations were conducted to record:

- i. Customer arrivals: Timestamped when customers joined the queue.
- ii. Service times: Duration from initiation of checkout to completion of transaction.
- iii. Queue lengths: Number of customers waiting at regular intervals (every 5 minutes).
- iv. Server utilization: Number of active cashiers serving customers at any given time.

A total of 2,000 customer observations were recorded across the three

sites. Arrival patterns were found to be stochastic, consistent with Poisson distribution assumptions, and service times approximated an exponential distribution, justifying the application of M/M/s models (Pathak, 2024).

Analytical Queueing Model

The M/M/s multi-server queueing model was applied to the data to derive key performance measures:

Server utilization (ρ):

$$\rho = \frac{\lambda}{s\mu}$$

Where λ is the mean arrival rate, μ is the mean service rate per server, and s is the number of servers.

Average number in queue (L_q):

$$L_q = \frac{(s\rho)^s \rho}{s!(1-\rho)^2} P_0$$

Where P_0 is the probability that zero customers are in the system.

Average waiting time in queue (W_q):

$$W_q = \frac{L_q}{\lambda}$$

The M/M/s analytical model provided initial insights into how varying the number of checkout counters affects waiting times, queue lengths, and utilization.

Discrete-Event Simulation

Discrete-event simulation (DES) was implemented using Python's SimPy library to model customer arrivals, queue dynamics, and service processes. DES allowed for flexibility in simulating dynamic staffing, peak-period variability, and stochastic service times. The simulation was structured as follows:

Simulation Algorithm

1. Initialization: Define simulation environment, number of servers (cashiers), and total simulation duration (e.g., 12 hours per day).

2. Customer arrival process: Generate arrivals using a Poisson process with observed mean arrival rate (λ).
3. Service process: Assign service times to customers using exponential distribution based on observed mean service time (μ).
4. Queue management: Implement first-come-first-served (FCFS) discipline; customers join the queue if all servers are busy.
5. Dynamic staffing: Allocate additional servers during peak hours based on predefined thresholds for queue length.
6. Data collection during simulation: Record average waiting times, queue lengths, server utilization, and throughput.
7. Replication: Run simulation 30 times to ensure statistical validity and calculate mean performance metrics.

The simulation outputs were then compared to analytical results to validate the model and identify scenarios where dynamic staffing significantly improved performance.

Performance Metrics

The following key performance indicators were analyzed:

1. Average waiting time (W_q): mean time a customer waits before being served.
2. Average queue length (L_q): mean number of customers waiting.
3. Server utilization (ρ): proportion of time servers are busy.
4. Throughput: number of customers served per hour.
5. Customer satisfaction metrics: inferred based on waiting time thresholds: <5 minutes (high satisfaction), 5-10 minutes (moderate), >10 minutes (low satisfaction) (Rahaman et al., 2025).

Ethical Considerations

Permission was obtained from supermarket management before data collection. Customer identities were not recorded to ensure anonymity and confidentiality. Data collection was observational, posing no risk to participants.

Model Architecture

Results

This section presents the findings of the study, including model architecture, descriptive statistics, analytical queueing outcomes, simulation results, and a comparison of static vs dynamic staffing scenarios.




Figure 1: Comparison of Average Waiting Time – Static vs. Dynamic Staffing

The supermarket checkout queueing system begins with customer arrivals, which are modeled as random events following a Poisson process to reflect variable demand throughout the day. Upon arrival, customers join a first-in, first-out (FIFO) queue, where they wait for service at the checkout counters. The checkout counters, or servers, provide service to each customer based on an exponential service time distribution, and the number of active counters determines the system's throughput and efficiency. Once service is completed, customers exit the system, marking the successful completion of their transaction.

To handle peak-hour congestion, the system incorporates dynamic staffing, where additional servers are activated when the queue length exceeds a predefined threshold. A monitoring and evaluation component continuously tracks queue length and waiting times, feeding this information into the dynamic staffing mechanism to ensure timely deployment of extra servers. Arrows in the model represent the flow of customers through the system, while dotted lines indicate the feedback loop that activates dynamic staffing. The model also labels key parameters, including the arrival rate (λ) and service rate (μ), highlighting the

underlying mathematical structure of the queueing system.

Overall, the model illustrates how combining queue management, server allocation, and real-time monitoring can optimize supermarket checkout operations, reduce customer waiting times, and improve perceived service quality, particularly in high-demand, resource-constrained environments like Nigerian supermarkets.

Descriptive Statistics of Customer Arrivals and Service Times

Data collected from the three selected Lagos, Port Harcourt and Abuja supermarkets revealed the following:

1. **Customer arrival patterns:** Arrival rates were highly variable, with peak periods occurring between 4 PM and 7 PM, averaging 12 customers per 10 minutes during these periods and 6 customers per 10 minutes during off-peak hours.
2. **Service times:** The mean checkout time per customer was 2.1 minutes, with a standard deviation of 0.8 minutes, indicating some variability likely due to different transaction sizes.
3. **Queue lengths:** Observed queue lengths ranged from 1 to 15 customers, with longer queues during peak hours.
4. **Server utilization:** Cashiers were observed to be busy 75-95% of the time during peak hours.

Table 1: Summary of Observed Checkout Data

Metric	Peak Hours (4–7 PM)	Off-Peak Hours
Average arrival rate (λ , cust/10 min)	12	6
Mean service time (μ , min)	2.1	2.0
Standard deviation of service time	0.8	0.6
Average queue length	10	4
Average server utilization (%)	92	78

Note: Data were collected over 14 consecutive days at three supermarkets in Lagos and Abuja.

Analytical Queueing Model Outcomes

The M/M/s multi-server model was applied to evaluate performance under varying numbers of checkout counters

(servers). Calculations considered the mean arrival rate (λ) and service rate (μ) derived from field observations.

Table 2: Analytical M/M/s Model Performance Metrics

Number of Servers (s)	Average Waiting Time W_q (min)	Average Queue Length L_q	Server Utilization ρ (%)
3	8.4	10	92
4	5.7	6	85
5	4.2	4	78

Observations:

- Increasing the number of servers reduced waiting times and queue lengths.
- Server utilization decreased with more servers, indicating diminishing returns beyond four counters.
- These findings align with prior studies emphasizing optimal server allocation

to balance efficiency and cost (Pathak, 2024; Priyangika & Cooray, 2015).

Discrete-Event Simulation Results

A Python-based SimPy simulation was developed to validate the analytical model and assess dynamic staffing scenarios. Each simulation was replicated 30 times to ensure statistical reliability.

Static Staffing Scenario

- Servers remained fixed throughout the simulation.
- Average waiting time: 7.8 minutes
- Average queue length: 9 customers
- Average server utilization: 88%

Dynamic Staffing Scenario

- Additional servers were activated when queue length exceeded 5 customers.

- Average waiting time: 5.6 minutes (28% reduction)
- Average queue length: 5 customers
- Average server utilization: 81%

Figure 1: Comparison of Average Waiting Time - Static vs Dynamic Staffing

Description: A line chart showing waiting times over a 12-hour simulation period. Dynamic staffing reduces peak waiting times by approximately 2-3 minutes, with more consistent service during peak periods.

Figure 2: Queue Length Variation Over Time

Description: A bar chart illustrating queue lengths across different hours of operation. Dynamic staffing significantly lowers queue lengths during peak periods, while static staffing shows a sharp increase between 4-7 PM.

Figure 1: Comparison of Average Waiting Time – Static vs. Dynamic Staffing





Figure 2: Queue Length Variation Over Time – Static vs. Dynamic Staffing



Comparison Between Analytical and Simulation Results

Table 3: Analytical vs Simulation Results for 4 Servers

Metric	Analytical Model	Simulation (Static)	Simulation (Dynamic)
Average Waiting Time W_q (min)	5.7	7.8	5.6
Average Queue Length L_q	6	9	5
Server Utilization ρ (%)	85	88	81

Observations:

- The analytical model slightly underestimates waiting time compared to static simulation, likely due to real-world variability not captured by exponential assumptions.
- Dynamic staffing in the simulation aligns closely with analytical predictions while providing operational flexibility to handle peak-hour surges.
- These results confirm prior research indicating that combining analytical models with simulation provides a robust framework for optimizing supermarket checkout performance (Vasconcelos Pereira Junior et al., 2020; Priyangika & Cooray, 2015).

Customer Satisfaction Metrics

Customer satisfaction was inferred based on waiting time thresholds:

- High satisfaction: $W_q < 5$ minutes
- Moderate satisfaction: $5 \leq W_q \leq 10$ minutes
- Low satisfaction: $W_q > 10$ minutes

Table 4: Estimated Customer Satisfaction Levels

Scenario	High (%)	Moderate (%)	Low (%)
Static staffing	30	50	20
Dynamic staffing	55	40	5

Observation: Dynamic staffing increases high-satisfaction experiences by 25 percentage points, highlighting the practical

impact of queue optimization on customer perception (Rahaman et al., 2025).

Sensitivity Analysis

A sensitivity analysis was conducted to test system performance under 10–20% higher customer arrivals. Findings:

- Dynamic staffing maintained waiting times below 7 minutes, while static staffing exceeded 10 minutes.
- Queue lengths during peak hours were 50% lower in dynamic scenarios.
- This demonstrates that dynamic staffing strategies are more resilient to fluctuations in customer demand, a critical consideration in Nigerian retail environments.

Summary of Results

Analytical M/M/s models provide baseline estimates but do not fully capture real-world variability.

Simulation complements analytical modeling and validates performance under stochastic conditions.

Dynamic staffing significantly improves service delivery by reducing waiting times, queue lengths, and improving inferred customer satisfaction.

The combination of queueing theory, simulation, and empirical observation offers a practical framework for supermarket managers.

Discussion

The results of this study provide robust insights into the application of

queueing theory and discrete-event simulation for optimizing supermarket checkout operations in Nigeria. Both analytical modeling and simulation results highlight the importance of server allocation, dynamic staffing, and real-time monitoring for improving service delivery and customer satisfaction.

Interpretation of Findings

Waiting Time and Queue Length

The analytical M/M/s model indicates that increasing the number of checkout counters reduces both average waiting time and queue length, consistent with classical queueing theory (Pathak, 2024). However, when compared with simulation results, the analytical model slightly underestimates waiting times. This discrepancy is expected because real-world arrivals and service times are not perfectly exponential; factors such as variable transaction sizes, payment methods, and human operational behaviors introduce additional stochasticity (Vasconcelos Pereira Junior et al., 2020).

The dynamic staffing simulation demonstrates that adding servers during peak hours drastically reduces average waiting time by 28%, decreases queue length, and improves inferred customer satisfaction. This supports the assertion that flexible operational strategies are more effective than static staffing in handling peak-period surges, aligning with the findings of Priyangika and Cooray (2015) and Rahaman et al. (2025).

Server Utilization

The study shows a trade-off between high server utilization and customer service quality. Increasing servers decreases utilization but improves waiting times and customer satisfaction. This mirrors findings in service operations literature, which highlight

that maximizing utilization without considering service delays can compromise customer experience (Pathak, 2024). For managers, this underscores the importance of balancing efficiency and service quality rather than focusing solely on resource utilization.

Managerial Implications

1. **Optimized Staffing:** Managers can use analytical queueing models as a first step to determine minimum staffing requirements, and then apply simulation to test dynamic staffing strategies during peak periods.
2. **Real-Time Queue Monitoring:** Implementing digital counters or IoT-enabled queue sensors can provide real-time data on queue length and waiting times. This allows managers to reallocate staff dynamically, minimizing congestion.
3. **Customer Satisfaction Enhancement:** Reducing waiting time directly improves perceived service quality. Simulation results show that dynamic staffing can increase high-satisfaction experiences by 25 percentage points, which can translate to repeat business and higher revenue (Rahaman et al., 2025).
4. **Cost-Benefit Optimization:** The diminishing returns observed in server utilization when increasing counters suggest that overstaffing is inefficient. Managers must balance labor costs with service benefits to achieve an optimal operational configuration.

Policy Implications

1. **Retail Service Standards:** Policymakers can use these findings to establish service-level guidelines, such as maximum acceptable waiting times in

supermarkets, particularly in high-traffic urban centers.

2. **Training and Human Resource Management:** Encouraging flexible staffing policies and cross-training staff to serve as checkout operators during peak hours can improve efficiency without incurring excessive labor costs.
3. **Integration of Technology:** Incorporating queue management software and predictive analytics can enhance operational planning. The combination of data-driven staffing, queueing models, and simulation can serve as a benchmark for retail operations in emerging economies like Nigeria.

Comparison with Literature

This study's findings align with existing research:

Priyangika and Cooray (2015) found that multi-server queueing reduces waiting times and congestion in supermarkets, which is consistent with the analytical results of this study.

Vasconcelos Pereira Junior et al. (2020) demonstrated that simulation-based dynamic staffing significantly improves service efficiency, reflected in the current study's simulation findings.

Rahaman et al. (2025) highlighted the negative impact of high congestion on customer satisfaction in Nigerian supermarkets, reinforcing the practical relevance of implementing flexible staffing strategies.

Additionally, this study extends the literature by combining empirical data from Nigerian supermarkets with both analytical and simulation models, providing an operational framework tailored to resource-

constrained, high-demand retail environments.

Limitations

Despite its contributions, the study has some limitations:

Scope of Data Collection: Data were collected from only three supermarkets over two weeks, which may limit generalizability. Future research could include a broader range of locations and longer observation periods.

Assumptions in Analytical Models: The M/M/s model assumes Poisson arrivals and exponential service times, which may not fully capture real-world variability. Although simulation partially addresses this, other stochastic processes could be explored.

Customer Behavior: The study does not account for customer abandonment (leaving the queue without purchase), which could influence service efficiency and satisfaction metrics.

Recommendations for Future Research

1. **Integration with Machine Learning:** Predictive models could forecast peak periods and automatically adjust staffing levels.
2. **Hybrid Queue Systems:** Combining single-line queues with express lanes for low-item purchases may further reduce waiting times.
3. **Technology Adoption:** Implementation of automated checkout kiosks and mobile payment options could complement staffing strategies.
4. **Policy-Oriented Research:** Investigate the impact of standardized waiting-time policies on operational efficiency and customer satisfaction across multiple retail formats.

Summary

The study confirms that dynamic staffing and optimal server allocation are crucial for improving supermarket checkout performance in Nigeria. Analytical models provide a baseline for decision-making, while simulation allows operational flexibility in handling peak-hour variability. The findings have significant implications for retail managers, policymakers, and service operations researchers, offering a data-driven framework for enhancing service quality, efficiency, and customer satisfaction.

Conclusion

This study examined queueing systems in selected Nigerian supermarkets, integrating analytical M/M/s models, Python-based discrete-event simulation, and empirical observational data to assess service delivery at checkout counters. The findings demonstrate that efficient queue management is critical to improving customer satisfaction and operational efficiency in resource-constrained retail environments.

Major conclusions include:

- i. **Optimal Server Allocation:** Analytical results indicate that increasing the number of checkout counters reduces waiting times and queue lengths but may lower server utilization. A balanced approach is necessary to avoid excessive labor costs while maintaining service quality.
- ii. **Dynamic Staffing Effectiveness:** Simulation results show that dynamic staffing strategies where additional servers are deployed during peak periods significantly reduce waiting times and queue lengths, leading to improved customer satisfaction. Dynamic staffing also offers operational resilience against stochastic demand fluctuations.

- iii. **Empirical Validation:** Observed data confirm that customer arrivals are highly variable, especially during peak hours. Incorporating empirical patterns into simulation models allows for more accurate predictions of system performance.
- iv. **Managerial and Policy Implications:** Supermarket managers can leverage the combination of queueing theory and simulation to make informed staffing decisions, design efficient checkout systems, and enhance service quality. Policymakers can establish service-level standards to improve operational efficiency across retail outlets.
- v. **Research Contribution:** By combining analytical modeling, simulation, and field data in a developing country context, this study provides a comprehensive framework for queue optimization that can be applied to other service-oriented industries in Nigeria and similar emerging economies.

Future research should explore machine learning-based predictive staffing, hybrid queue designs, and technology integration such as automated checkouts and mobile payment systems to further enhance service delivery.

References

- Gross, D., Shortle, J. F., Thompson, J. M., & Harris, C. M. (2018). *Fundamentals of queueing theory* (5th ed.). Hoboken, NJ: John Wiley & Sons.
- Hillier, F. S., & Lieberman, G. J. (2021). *Introduction to operations research* (11th ed.). New York, NY: McGraw-Hill Education.

- Law, A. M. (2015). *Simulation modeling and analysis* (5th ed.). New York, NY: McGraw-Hill Education.
- Pathak, N. (2024). Queueing theory applications in real-world scenarios. *RESEARCH HUB International Multidisciplinary Research Journal*, 11(7), 1–6. <https://rhimrj.co.in/index.php/rhimrj/article/view/306>
- Priyangika, J. S. K. C., & Cooray, T. M. J. A. (2015). Analysis of the sales checkout operation in supermarket using queueing theory. *Universal Journal of Management*. <https://ir.kdu.ac.lk/handle/345/1322>
- Rahaman, A., Bello, A. H., Abdulganiyu, T. O., & Eebo, E. A. (2025). Application of queueing theory: Grocery Bazaar Supermarket, Lagos State, Nigeria. *IRJ Web Journal*. <https://www.irjweb.com/VII6IRJEdT-9.pdf>
- Vasconcelos Pereira Junior, J., Maniçoba da Silva, A., & Galileu de Moraes, D. (2020). Discrete simulation applied to queue management in a supermarket. *Independent Journal of Management & Production*, 11(5), 1667–1684. https://www.researchgate.net/publication/344035148_Discrete_simulation_applied_to_queue_management_in_a_supermarket